



If the buttons are disable in the Android system, Be sure to update your Googel Drive app.















Select The Desired Option:

About **Barijessence** Pharmaceutical Company

Product Index

Contact Us





Barij Essence Pharmaceutical Company has always had an active cooperation with research centers and universities. This company's main focus is to make use of the Iranian raw material and to make progress in breeding Iranian herbal plants and Traditional Medicine to grow domestic production and reduce unemployment.

Hossein Hejazi the founder of Barij Essence Pharmaceutical Company was always concerned about the society, sepically the environmental and humanitarian issues. He also was active in building mosques and schools and offered private scholarships and funds for the students and individuals who was in financial difficulties or was experiencing health problems. Sports and health was another main concern of Hossein Hejazi and he established the Barij Essence Sport Club in 2005.

Unfortunately, Hossein Hejazi died in June 2010 and buried in the sacred mosque of Mashhad Ardehal next to the tomb of Sohrab Sepehri who was his favorite poem writer.



Barijessence





our Product Select the desired option



System



mudculoskeletal



Gynecology & Obsetetrics



Respiratory System



cardiovascular



Urology



Bariiessence





our Product

Select the desired option





Barijessence E-Catalog / 2021 - 1.0





our Product

Select the desired option





Barijessence E-Catalog / 2021 - 1.0





Analgesic and Musculoskeletal

Select the desired option

Aromix Topical Gel

Analgesic - Alleviation of musculoskeletal pain



Osteofix Topical Cream

Anti - inflammatory and analegesic for ...



Barij Black Seed Oil

Adjuvant treatment of rheumatoid arthritis ...



CM Barij Topical Lotion

Relief of pain in knee osteoarthritis













Analgesic and Musculoskeletal

Select the desired option

CM Barij Topical Spray

Alleviation of pain in knee osteoarthritis...



Capex Cream

osteoarthritis, rheumatoid arthritis



Mentha Topical Solution

Tension headache



Netonal Barii Tablet

Alleviation of musculoskeletal pain















Analgesic and Musculoskeletal Select the desired option

Barij Black Seed Oil

Adjuvant treatment for arthritis (cold type)



Barii Pumpkin Seed Oil

Relieve muscle cramps



Barij Walnut Oil

Joint pain















Aromix Topical Gel

Analgesic - Alleviation of musculoskeletal pain Anti-inflammatory





Aromix Topical Gel

Methodofuse:

Three times a day, each time apply a thin layer of Aromix Barij topical gel on the painful and inflamed area.

Ingredients:

Essential oil of lavender (Lavandula angustifolia) Essential oil of eucalyptus (Ecalyptus spp) Essential oil of rosemary (Rosmarinus officinalis) Essential oil of peppermint (Mentha pipperita)

Pharmaceuticalform:

Gel-tube laminated inside75galuminum in a cardboard boxwith a brochure

Standardization:

Based on presence of 0.185% menthol and 2.18% 1,8-cineol in the product.











Osteofix Topical Cream

Anti - inflammatory and analegesic for musculature pain





Osteofix Topical Cream

Method of use:

Three times a day, each time a thin layer of the cream must be applied topically to the affected area

Ingredients:

Lavandula angustifolia, Eucalyptus spp., Rosmarinus ofcinalis, Mentha piperita and Ostrich oil as a base for the cream

■ Pharmaceutical form:

Topical cream, 30g tube, with an insert in a folding carton









Barij Black Seed Oil

Adjuvant treatment of rheumatoid arthritis Relieve joint and back pain Relieve muscle and skeletal pain caused by cold temper





Barij Black Seed Oil

Methodofuse:

3times a day, rub some amount of oil on desired area







CM - Topical - lotion

Alleviation of pain in knee osteoarthritis Tendon injuries

Alleviation of musculoskeletal pain





CM - Topical - lotion

Method of use:

Depending on the size of the painful area; 4 times a day, massage some of the CM Barij® lotion on the area. It is best to avoid application of product close to bedtime because mint essential oil can alter the normal pattern of sleep.

Ingredients:

Essential oils of Apium graveolens and Mentha spicata

■ Pharmaceutical form:

15 ml glass with dropper and information leaflet in cardboard box











CM - Topical Spray

Alleviation of pain in knee osteoarthritis Tendon injuries

Alleviation of musculoskeletal pain Muscle spasm





CM - Topical Spray

Method of use:

Depending on the size of the painful area; 4 times a day, spray maximum 3 puffs of the product on the area.

Ingredients:

Essential oils of Apium graveolens and Mentha spicata

■ Pharmaceutical form:

 $30\,ml\,spray\,with\,information\,leaflet\,in\,cardboard\,box$









Capex Barij Topical Cream

osteoarthritis, rheumatoid arthritis post-herpetic neuralgia Alleviation of diabetic neuropathy pain pain and spasm in shoulder, arms, backbone and legs





Capex Barij Topical Cream

Method of use:

Up to 4 times per day, apply a small amount of the product to the painful spot, continue for at least 2 weeks. Little clinical data exists for more than 8 weeks of application.

Ingredients:

Extract of pepper (Capsicum spp.) capsaicin, 6,7 dihydrocapsaicin, nordihydrocapsaicin

■ Pharmaceutical form:

30g tube bottle in cardboard boxPatient informationleaflet inside

Standardization:

Based on presence of 0.034-0.046 percent capsaicin in the product.











Menta Lotion Topical

Tension headache Musculoskeletal pain Nasal congestion





Menta Lotion Topical

Method of use:

For headache

Rub 5-10 drops of Mentha Topical Solution to the forehead and temples, repeat after 15-30 minutes if necessary.

For musculoskeletal pain:

Rub 5-10 drops of Mentha Topical Solution to the affected area. 3-4 times per day.

For nasal congestion:

2-3 times per day, rub 2-3 drops of Mentha Topical Solution on the upper lip or impregnate a clean tissue with few drops and cover the nose with it.

■ Ingredients:

Essentialoilofpeppermint (Mentha piperita)

Pharmaceutical form:

15ml drop with dropper in cardboardbox Patientinformationleafletinside.

Standardization:

Based on presence of 24-36 mg menthol per ml of the product.









Netonal Barij Tablet

Alleviation of musculoskeletal pain Diuretic (to clear the urinary system in inflammatory urologic conditions) Prevention of formation of urinary stones





Netonal Barij Tablet

Method of use:

Unless otherwise directed by your doctor, The usual dose of this product in adults and children older than 12 years is one tablet three times a day. Swallow each tablet with plenty of fluids (such as a glass of water).

Drinking coffee and tea or alcoholic beverages is not appropriate. Do not consume more than the recommended amounts. If you forget to take the medicine at one time, do not increase the next dose.

Ingredients:

Dry extract of nettle (Urtica dioica) leaf

■ Pharmaceutical form:

Blister containing tablets with patient information leaflet in cardboard box.









Barij Black Seed Oil

Adjuvant treatment for arthritis (cold type) Aphrodisiac







Barij Black Seed Oil

Method of use:

Apply topically 3 times a day.

Ingredients:

Fennel flower (Nigella sativa L.) oil linoleic acid, oleic acid, palmitic acid

■ Pharmaceuticalform:

30 ml container Patient information leaflet inside

Standardization:

Based on presence of 52-67% linoleic acid in the product.







Barij Pumpkin Oil

Relieve muscle cramps Hypnotic

Topical moisturizing and softener





Barij Pumpkin Oil

Method of use:

For muscle cramps: apply and massage on desired area 3 times a day. As topical moisturizer and softener: apply on desired area 2-3 times a day. As hypnotic: two drops in nostrils and ears every 12 hours.







Barij Walnut Oil

Joint pain Dermal eczema

Alleviation of skin dryness and scaling





Barij Walnut Oil

■ Method of use:

5 times a day, rub oil on desired area





Mg Barij

Relieve of haemorrhoid symptoms grade ...



Green Carmin Barii

Carminative, dyspepsia remedy and stomachic



proliv Barii

Effective in the prevention and treatment ...



Supermint Soft Capsule

Carminative, Anti-dyspepsia











Supermint Oral Drop

Carminative, Anti-dyspepsia



Anti-Reflux-B Svrup

Adiuvant treatment for alleviation of symptoms...



M.G Topical Lotion

Adjuvant therapy for anal fissure.



M.G Ointment

Adiuvant treatment for anal fissure.













Anti-Fissure Topical Cream

Adjuvant treatment for anal fissure



Castorex Barii Soft Capsule

Laxative, Treatment of constipation



Lomex Soft Capsule

Adjuvant treatment for non-infectious diarrhea



Lomex Oral Drop

Adiuvant treatment for non-infectious diarrhea















Gastrolit Soft Capsule

Adjuvant treatment for Irritable Bowel Syndrome



Gastrolit Oral Drop

Adjuvant symptomatic treatment of ...



Goldhand Barij Ma'jun

Purgative and aperient, especially in ...



Hepatoheal Chewable Tablet

Stimulation of liver metabolism...

















Gastrointestinal System Select the desired option

Barij Rose Oil Soft Capsule

Relieve of gastritis and Inflammatory...



Jalinus Barii Svrup

Nausea, Digestive, stomach tonic



Safflower Oil Anti - flatulence













MG Barij (Rectal Suppository)

Relieve of haemorrhoid symptoms grade I and II such as bleeding, pain, itching, burning and tenesmus

Anal Fissure





MG Barij (Rectal Suppository)

■ Method of use:

Use a rectal suppository twice a day, it is best to rinse the anal area thoroughly with lukewarm water before use. The duration of treatment is at least 2 weeks.

■ Ingredients:

Essential oil of Myrtus communis

Pharmaceutical form:

Rectal suppository in cardboard box.







Green Carmin barij

Carminative, dyspepsia remedy and stomachic







Green Carmin Barij

Method of use:

1 to 2 capsules, 3 times daily, one hour after each meal.

Ingredients:

Pimpinella anisum, Cuminum cyminum, Bunium persicum, Amomum subulatum, Cinnamomum zeylanicum, Trachyspermum copticum, Apuim graveolens, Elettaria cardamomum, Eugenia caryophyllata, Zingiber officinale, Piper longum, Saccharumofficinarum

■ Pharmaceutical form:

Capsule, 10 numbers 3 blister, information leaflet in cardboard box







Proliv Barij Capsule

Effective in the prevention and treatment of fatty liver Gallbladder protector





Proliv Barij Capsule

Method of use:

1-3 times per day, each time one capsule or as directed by a physician.

Ingredients:

Silybum marianum, Cynara scolymus, Curcuma longa, Taraxacum officinale

■ Pharmaceutical form:

Capsule with information leaflet in cardboard box







Supermint Soft Capsule

Carminative

Gastrointestinal analgesic and antispasmodic

Anti-dyspepsia Stomachic





Supermint Soft Capsule

■ Method of use:

Take a soft capsule with some water 3 times a day after the main meal.

Ingredients:

Essential oil of Menthaspicata

■ Pharmaceutical form:

Container with 30 soft capsules and patient information leaflet in cardboard box.









Supermint Oral Drop

Carminative

Gastrointestinal analgesic and antispasmodic

Anti-dyspepsia

Stomachic





Supermint Oral Drop

Method of use:

After every meal, mix 20 drops of the product in to a small glass of water.

Ingredients:

Essential oil of mint (Mentha spicata) carvone and methyl acetate

■ Pharmaceutical form:

15ml drop with dropper in cardboard box Patient information leafletinside

Standardization:

Based on presence of 11-15 mg (-)-carvone per ml of the product.







Anti-Reflux-B Syrup

Adjuvant treatment for alleviation of symptoms of Gastroesophageal Reflux Disease (GERD)







Anti-Reflux-B Syrup

Method of use:

1-2 tea spoonful (5-10 ml) before breakfast and before sleep.

Ingredients:

Aloevera leaf gel (Aloevera), with its anthraquinone substances having been adjusted to a proper amount.

Polysaccharides including acemannan, glucomannan, anthraquinone glycosides like aloin, aloe-emodin and barbaloin

Pharmaceutical form:

120ml syrup bottle in cardboard box Patient information leaflet inside

Standardization:

Based on presence of about 5/2 mg polysaccharide per 5ml of syrup.









M.G Topical Lotion

Adjuvant therapy for alleviation of hemorrhoid degree I and II symptoms, like bleeding, pain, itching, burning and heaviness of the anus and tenesmus.

Adjuvant therapy for anal fissure.





M.G Topical Lotion

Method of use:

Twice a day, dab 10-15 drops of the lotion on a cotton ball and rub the anal area. It is recommended to thoroughly rinse and lather the anal area with lukewarm waterbefore application.

Ingredients:

Essential oil of common myrtle (Myrtuscommunis).

Pharmaceuticalform:

15 ml drop with dropper in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 30 mg 1,8-cineole per ml of the product.







M.G Ointment

Ajuvant treatment for hemorrhoid degree I and II symptoms, like bleeding, pain, itching, burning and heaviness of anus and tenesmus. Adjuvant treatment for anal fissure.





MG Ointment

Method of use:

If the doctor has not given a different order, use an anal applicator of ointment ,2 times a day for 2 weeks







Anti-Fissure Topical Cream

Adjuvant treatment for anal fissure







Anti-Fissure Topical Cream

Method of use:

Twice a day, apply a thin layer of cream in the anal fissure area.

Ingredients:

Extract of chamomile (Matricaria chamomilla) and Aleppo oak gall (Quercus infectoria)

■ Pharmaceuticalform:

30 g tube in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 0.077-0.104 mg apigenin and 22.85-30.9 mg phenol per g of the product.









Castorex Barij Soft Capsule

Laxative

Treatment of constipation





Castorex Barij Soft Capsule

Method of use:

Take one soft capsule with food 1-2 times a day.

■ Ingredients:

Castor (Ricinus communis L.) oil and fennel (Foeniculum vulgare) essential oil

■ Pharmaceutical form:

Container with 60 soft capsules and patient information leaflet in card board box.









Lomex Soft Capsule

Adjuvant treatment for non-infectious diarrhea (reduction in cramps, number of trips to the toilet and duration of the diarrhea)

Moro info





Lomex Soft Capsule

Method of use:

1soft capsule every 8 hours, for 3 days

Ingredients:

Essential oil of summer savory (Saturejahortensis).

■ Pharmaceutical form:

50 mg soft capsule in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 22.5-17.5 mg carvacrol per soft capsule.









Lomex Oral Drop

Adjuvant treatment for non-infectious diarrhea (reduction in cramps, number of trips to the toilet and duration of the diarrhea)

Moro info





Lomex Oral Drop

■ Method of use:

20 drops with a cup of water, 3-4 times a day for 3 days







Gastrolit Soft Capsule

Adjuvant treatment for Irritable Bowel Syndrome (IBS) symptoms including pain, flatulence, heartburn, GERD and changes in stool consistency





Gastrolit Soft Capsule

Method of use:

Take one capsule every 8 hours.

Ingredients:

Essential oil of Iranian thyme (Zataria multiflora)

■ Pharmaceutical form:

20 mg soft capsules in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 5.5-6.5 mg thymol per soft capsule.









Gastrolit Oral Drop

Adjuvant symptomatic treatment of Irritable Bowel Syndrome (IBS)

Moro info





Gastrolit Oral Drop

Method of use:

Take 20 drops with some fluids every 8 hours.

■ Ingredients:

Essential oil of Iranian thyme (Zataria multiflora)

■ Pharmaceutical form:

15 ml drop with dropper in cardboard box Patient information leaflet inside

Standardization:

Based on $\,$ presence of 4.4-7 mg $\,$ thymol $\,$ per ml of the product.







Golghand Barij Ma'jun

Purgative and aperient, especially in pregnant women and children over 2 years of age





Golghand Barij Ma'jun

Method ofuse:

Adults: 1 to 2 tablespoons, 3 times a day, half an hour before meals with cup of warm water. Children over 30 kg: 1 teaspoon, 3 times a day, halfan hour before meals with half a cup of warm water.

Children under 30 kg: 1 teaspoon, 3 times a day, half an hour before meals with half a cup of warm water.

Ingredients

Fresh petals of Rosa damascene, Honey

Pharmaceuticalform:

rougr majoon with information leaflet inside







Hepatoheal Chewable Tablet

Stimulation of liver metabolism

Adjuvant treatment for liver disorders such as hepatitis, especially chronic hepatitis B and

hepatic fibrosis

Eczema, Constipation, Hemorrhoids, Varicose veins





Hepatoheal Chewable Tablet

- Method of use

2-3 times a day, chew 1-2 tablets before a meal. The minimum course of treatment is 4 weeks.

Ingredients:

Leaves and twigs of vine (Vitis vinifera) and whole plant of strawberry (Fragaria vesca)

■ Pharmaceutical form:

250 mg chewable tablets in containers of 200 in cardboard box.Patient information leaflet inside

Standardization:

Based on the presence of 62 µg cyanidin 3glucoside inmean tablet









Barij Rose Oil Soft Capsule

Relieve of gastritis and Inflammatory Bowel Disease (IBD)





Barij Rose Oil Soft Capsule

Method of use:

Inflammation of the stomach, Gastroesophage reflux disease (GERD), Inflammatory bowel disease (IBD)

- Dosage and Administration:
 - inflammation of the stomach: 1 soft capsule, three times a day before meal. Gastroesophageal reflux disease (GERD): 2 soft capsules, three times a day before meal. Inflammatory bowel disease (IBD): 2 soft capsules,
- Ingredients:

Rosa damascena mill L., Sesamumoil

Pharmaceutical form:

Container with 30 soft capsules 1000 mg, with information leaflet in cardboard box











Jalinus Barij Syrup

Anti-nausea of pregnancy Digestive, stomach tonic







Jalinus Barij Syrup

■ Method of use:

Pregnancy Nausea:

10-20 milliliters 3 times a day, before each meal. Stomach strengthening:

Adults: 10-20 milliliters 3 times a day, before each

Children over 5 years:5-10 milliliters 3 timesa day before each meal

Indigestion treatment:

Adults: 10-20 milliliters 3 times a day, after each meal

Children over 5 years: 5-10 milliliters 3 times a day, after each meal

■ Ingredients:

meal

Cydonia oblonga, Zingiber officinale, Honey, vinegar

Pharmaceutical form:

120 ml syrup bottle with information leaflet in cardboardbox

■ Standardization:

Based on presence of 0.034-0.046 percent capsaicininthe product.









Safflower Oil

Anti - flatulence Relieve of colic





Safflower - Oil

- Method of use:
 - Apply topically 2-3 times a day.
- Ingredients:

Safflower seed (Carthamustinctorius L.) oil

Pharmaceutical form:

30 ml container Patient information leaflet inside

■ Standardization:

Based on presence of 68-83% linoleic acid in the product.





Respiratory System

Select the desired option

Coughnolix Barij Syrup

Acute cough



Broncho barii Svrup

Adjuvant treatment for cough



Banafsheh Barij Syrup

Antitussive, expectorant...



Thymogel Oral Soft Capsule

Adjuvant treatment for acute cough















Respiratory System Select the desired option

Eucalyptus Inhaler Non-Oral Soft Capsule

mucolytic and antitussive in...



Tussivin Oral Drop

Adjuvant treatment for alleviation of acute cough



Barii Eucalyptus Inhaler

Alleviation of cough and nasal congestion...



Barii Eucalyptus Oral Soft Capsule

Relief of cold symptoms, respirator ...











Respiratory SystemSelect the desired option

Squill Oxymel Syrup

Alleviation of dyspnea















Coughnolix Barij Syrup

Acute cough





Coughnolix Barij Syrup

Method of use:

Children from 1 to 5 years: 3.2 ml, children from 6 to 11 years: 4.3 ml, adults and adolescents from 12 years of age: 5.4 ml. Shake well before use. Using the enclosed measuring cup take syrup 3 times daily (inthemorning, at midday and in theevening). Drink some water afterwards. The syrup can be taken together with food and drinkor independent of meals. If you have a sensitive stomach you should take the syrup prefer ably after meals.







Bronchobarij Syrup

Adjuvant treatment for cough





Bronchobarij Syrup

Method of use:

Three times per day, a teaspoon (5 ml) each time

Ingredients:

Extract of Iranian thyme (Zataria multiflora) and marshmallow (Althea officinalis).

Pharmaceutical form:

120ml syrup bottle in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 2.55-3.06 mg thymol and 24.225-29.325 mg aminoacid per 5 ml of syrup.









Banafsheh Barij Syrup

Antitussive, expectorant, antipyretic, anti-inflammation of the throat and emollient of the larynx, alleviation of hoarseness of the voice





Banafsheh Barij Syrup

Method of use:

Adults: take 1-2 tables poonfulls every 8 hours with a glass of water.

Children: take 1-2 teas poonfulls every 8 hours with a glass of water.

■ Ingredients:

Aquous extract of sweet violet (Viola odorata L.), sugarcane (Saccharum officinarum L.)

■ Pharmaceutical form:

60 ml syrup bottle in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of 9-16.25 mg total phenolic as gallicacid in 5ml of syrup.









Thymogel Oral Soft Capsule

Adjuvant treatment for acute cough





Thymogel Oral Soft Capsule

Method of use:

Take 1 soft capsule every 8 hours with a glass of lukewarm water.

Ingredients:

Essential oil of sweet fennel (Foeniculum vulgare) and Zataria multiflora

■ Pharmaceutical form:

Soft Capsule with information leaflet in cardboard box









Eucalyptus Inhaler Non-Oral Soft Capsule

mucolytic and antitussive in common cold and other upper and lower respiratory system infections





Eucalyptus Inhaler Non-Oral Soft Capsule

Method of use:

1-2timesperday, dropone 400 mg non-oral soft capsule into a glass of boiling water and inhale with closed eyes.

■ Ingredients:

Essential oil of eucalyptus (Eucalyptus globulus)

■ Pharmaceutical form:

400 mg non-oral soft capsules in plastic container in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 280-360 mg 1,8-cineolper non-oral soft capsule.











Tussivin Oral Drop

Adjuvant treatment for alleviation of acute cough







Tussivin Oral Drop

Method of use:

3 times per day, take 20 drops each time mixed into a small glass of water. In case the taste of Tussivin Oral Drop is unpleasant, especially for children, mix 20-30 drops into some water and locally apply it to the chest area.

■ Ingredients:

Essential oil of sweet fennel (Foeniculum vulgare) and Iranian thyme (Zataria multiflora)

■ Pharmaceutical form:

15ml drop with dropper in cardboard box Patient information leaflet inside

Standardization:

based on presence of at least 2.2-3.5 mg thymol (main phytoconstituent of Iranian thyme) and 5.5-8.5 mg anethole (main phytoconstituent of fennel) permlofthe product.







Barij Eucalyptus Inhaler

Alleviation of cough and nasal congestion in common cold, the flu and bronchitis.







Eucalyptus - Nonoral - Drop

Method of use:

Severaltimes aday, drip 4 drops of this product in 100 cc of boiling water or in the specific place in an inhaler machine and inhale.

Ingredients:

 $\label{lem:eq:common} Eucalyptus essential oil (Eucalyptus globulus), Iranian (Shirazi) thyme (Zataria multiflora), common myrtle (Myrtus communis)$

Pharmaceutical form:

15ml drop with dropper in cardboard boxPatient information leaflet inside

■ Standardization:

Based on the presence of at least 28 mg 1,8-cineole, 3 mg thymol, 10 mg menthol perml of the product.









Barij Eucalyptus Oral Soft Capsule

Relief of cold symptoms, respiratory infections and catarrh.





Barij Eucalyptus Oral Soft Capsule

Method of use:

2-3 times a day, each time take one soft capsule







Squill Oxymel Syrup

Alleviation of dyspnea

Apertive (opener) of obstructions in the viscera Expulsion of phlegmatic and atrabilious matter





Squill Oxymel Syrup

■ Method of use:

Two table spoons with a glass of warm water in the morning.

■ Ingredients:

Urginea maritima, Vinegar, Honey

Pharmaceutical form:

120ml Syrup with information leaflet inside







Gynecology & Obsetetrics Select the desired option

Laxi Herb Syrup

Constipation treatment



Vagiheal

Natural vaginal moisturizer...



Menohelp Barij Capsule

Alleviation of menopause-related symptoms...



Leucorex Vaginal Cream

Adjuvant therapy for vaginal infections caused...











Gynecology & Obsetetrics Select the desired option

Fennelin Soft Capsule

increase of milk production in nursing mothers



Fennelin Oral Drop

Increase in breastmilk

Barij EPO (Evening Primrose Oil)

Anti-inflammatory of the stomach













Laxi Herb Syrup

Constipation treatment







Laxi Herb Syrup

Method of use:

Adults: Three times a day, two teaspoons (5 ml) eachtime

Children over 10 years of age: Three times per day, a teaspoon (5ml) each time

Children under 10 years of age: Three times a day, half teaspoon (2.5 ml) each time

■ Ingredients:

Prunus domestica, Saccharum of cinarum

Pharmaceutical form:

Syrup, 120 ml syrup bottle with information leaflet in cardboard box







Vagiheal Barij

Natural vaginal moisturizer Relieves dryness, burning, itching and painful intercourse due to vaginal atrophy

Moro info





Vagiheal Barij

Method of use:

This product is applicable to the vulva and inside of the vagina. Use the applicable to the vulva and inside of the vagina. Use the applicator inside the package, to apply 2.5 gram of the gel into the vagina for 7 consecutive nights at bedtime; continue using twice a week (Maintenance therapy). For prolonged effects of the medication, it is possible to use! more than once a day as you wish. You can also apply the product to the vulva (around the vagina and external areas); this can help facilitate sexual activity and improve vaginal dryness. The product can be used during menstruator; it is also possible to use! with a condom. Avoid applying the gel by applicator during pregnancy. Instead, squeeze an applicator-measured amount of the gel onto your finger, and gently and carefully apply it to the affected area, in a way you feel confortable.

For using the product, first remove the foll seal of the orifice of the tube and screw end of the applicator on the tube. Pull back the plunger, and gently squeeze the tube until the barrel is half-filled. Unscrew the applicator. Put yourself in a comfortable position and insert the applicator into the vagina. Push the plunger gently until the content of the applicator has been thoroughly emptted into the vagina. It is recommended to apply a thin layer of the gel over the edge of the applicator to facilitate the insertion.

Ingredients:

Humulus lupulus and Vit E

■ Pharmaceutical form:

Vaginal gel, 30g tube, with an applicator and an insert in a folding carton









Menohelp Barij Capsule

Alleviation of menopause-related symptoms, like hot flashes and night sweats







Menohelp Barij Capsule

Method of use:

Take one capsule per day with a meal. Maximum daily dose is 2 capsules per day or as prescribed by a physician. For use over one year consult a physician.

Ingredients:

Black cohosh (Actaa racemosa L.), Soybean (Glycine max), Sweet potato (Dioscorea villosa), Greater burdock (Arctium lappa L.), Vitex (Vitex agnus-castus)

■ Pharmaceuticalform:

550 mg capsules in plastic container in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of at least 40 mg total phenolic based on daidzein and at least 3 mg diosgenin per capsule.











Leucorex Vaginal Cream

Adjuvant therapy for vaginal infections caused by Candida and Gardnerella species







Leucorex - Vaginal Cream

Method of use:

Apply one applicator inside the vagina everynight, for 7 to 10 consecutive nights.

Ingredients:

Iranian thymeessential oil (Zatariamultiflora)
Active Ingredients: thymol and carvacrol

■ Pharmaceutical form:

50g tube with applicator in cardboard box Patient information leaflet inside

Standardization:

Based on presence of at least 0.027-0.033 percent thymol in the product.











Fennelin Soft Capsule

increase of milk production in nursing mothers adjuvant therapy for alleviation of primary dysmenorrhea

Moro info





Fennelin - Softc apsule

Method of use:

Take a soft capsule every 4 hours

Ingredients:

Essential oil of Foeniculum vulgare

■ Pharmaceuticalform:

Container with 30 soft capsules and patient information leaflet in cardboard box.









Fennelin Oral Drop

Increase in breastmilk

Adjuvant treatment for alleviation of primary dysmenorrhea





Fennelin Oral Drop

Method of use:

Every 4 hours, take 30 drops with some fluids.

■ Ingredients:

Essential oil of sweet fennel (Foeniculum vulgare) Active Ingredients: trans-anethole, fenchone, methyl chavicol, estragole

■ Pharmaceutical form:

15ml drop with dropper in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of 12-19 mg anethole permlof the product.











Barij EPO (Evening Primrose Oil)

Anti-inflammatory of the stomach mprovement in symptoms of Irritable Bowel Syndrome (IBD)





Barij EPO (Evening Primrose Oil)

Methodofuse:

Two times a day, each time1-2 capsules or as prescribed by the doctor





UrologySelect the desired option

Prosta Barij Oral Soft Capsule

Improvement in prostate function in ...



Lithorex-B

Prevention of renal calculi (kidnev stones)



Urtidin Oral Drop

diuvant treatment for the voiding symptoms ...



Urtidin F.C Tablet

Adjuvant treatment for the voiding symptoms ...











Prosta Barij Oral Soft Capsule

Improvement in prostate function in Benign Prostate Hyperplasia







Prosta Barij Oral Soft Capsule

■ Method of use:

Take one soft capsule daily with sufficient water.

Ingredients:

Pumpkin Seed Oil (Cucurbita pepo), and Vitamin E **Active Ingredients:** linoleic acid, phytosterols, tocopherols

■ Pharmaceutical form:

390 mg soft capsules in cardboard box Patient information leafletinside

Standardization:

Based on presence of 200-230mg linoleic acid and 30mg alpha-tocopherolin each soft capsule.









Lithorex-B

Prevention of renal calculi (kidney stones) Aiding with expulsion of urinary stones Diuretic

Analgesic, anti-inflammatory and anti-spasm





Lithorex -B

■ Method of use:

25 to 30 drops every 8 hours with plenty of water. Long-term consumption of the product is well tolerated.

Ingredients:

Dried extracts of Cucurbita pepo seed, Populus nigra leaves and Solidago canadensis leaves.

■ Pharmaceutical form:

Oral drop with information leaflet in cardboard box.







Urtidin Oral Drop

Adjuvant treatment for the voiding symptoms (sensation of poor bladder emptying, dribbling, hesitancy) in stage I and II of Benign Prostatic Hyperplasia (BPH)Analgesic, anti-inflammatory and anti-spasm

Adjuvant treatment for Irritable Bladder





Urtidin Oral Drop

Method of use:

Take 40 drops 3 times daily after meals with some fluids. With the start of treatment, the therapeutic effects gradually appear. Due to the chronic nature of benign prostatic hyperplasia, it is important to continue taking

■ Ingredients:

Urtica dioica root dry extract

Pharmaceutical form:

Oral drop withinformation leaflet in cardboard box.







Urtidin F.C Tablet

Adjuvant treatment for the voiding symptoms (sensation of poor bladder emptying, dribbling, hesitancy) in stage I and II of Benign Prostatic Hyperplasia (BPH) Adjuvant treatment for Irritable Bladder





Urtidin F.C Tablet

Method of use:

Take one tablet 3 times daily after meals with some fluids. With the start of treatment, the therapeutic effects gradually appear. Due to the chronic nature of benign prostatic hyperplasia, it is important to continue taking the drug for a long time

Ingredients:

offica dioica foot dry extrac

Pharmaceuticalform:

F.C tablet with brochure in cardboard box.







Glands & Cardiovascular System

Select the desired option

Viniscin Barij Capsule

Superficial and deep varicose veins



Glucoherb Barij Tablet

Lowering of blood sugar



Glucorex-B Tablet

Adjuvant treatment for type II diabetes ...



Olivin Tablet

Cardiovascular tonic ...











Glands & Cardiovascular System

Select the desired option

Atheromod-B F.C Tablet

Prevention of Atherosclerosis ...



Annab Barij Syrup

Blood thinner and purifying ...



Hyporex-B F.C Tablet

Adjuvant treatment for hypertension













Viniscin Barij Capsule

uperficial and deep varicose veins Chronic Venous Insufficiency







Viniscin Barij Capsule

Method of use:

Every 12 hours one capsule, or as prescribed by yourphysician

Ingredients:

Extracts of Horse Chestnut (Aesculus hippocastanum) and Grape (Vitisvinifera) Active Ingredients: polyphenols, aescin

Pharmaceutical form:

350 mg capsules in plastic container in cardboard box

Patient information leaflet inside

Standardization:

Based on presence of at least 36 mg total phenolic and 46-60 mg aescin per each capsule.









Glucoherb Barij Tablet

Lowering of blood sugar







Glucoherb Barij Tablet

Method of use:

The recommended amount in adults is 3 times per day, one tableteach time. The use of amounts more than that recommended is not allowed.

■ Ingredients:

Stinging Nettle (Urticadioica), Mediterranean Saltbush (Atriplex halimus), Walnut (Juglans regia) Leaves, Olive (Olea europaea) Leaves

Active Ingredients: chlorogenic acid, oleuropein, tannin

■ Pharmaceutical form:

468mg tablets in container in cardboard box

Patientinformation leafletinside

Standardization:

Based on presence of at least 1.1 mg chlorogenic acid and at least 6 mg oleuropein pereach tablet.









Glucorex-B Tablet

Adjuvant treatment for type II diabetes Lowering of triglyceride and LDL levels, raising HDL levels







Glucorex-B Tablet

Method of use:

If the doctor did not give another prescription; the usual dose of this product isonetablet3 timesa day.

Ingredients:

Extract of Trigonella foenum graecum

■ Pharmaceutical form:

Container with 30 tablets and patient information leaflet in cardboard box.









Olivin Tablet

Cardiovascular tonic

Adjuvant treatment for hypertension

Adjuvant treatment for hypercholesterolemia

Diuretic

Prevention of atherosclerosis





Olivin - Tablet

Method of use:

Take 3-5 ablets per day, divided in 2-3 times, with somefluids







Atheromod-B F.C Tablet

Prevention of Atherosclerosis

Reduction in cholesterol, LDL and triglyceride; increase in HDL

Reduction of blood sugar

Antioxidant and hepatoprotective

Adjuvant treatment for alleviation of Irritable

Bowel Syndrome (IBS) symptoms

Adjuvant treatment for functional dydpepsia





Atheromod-B F.C Tablet

Method of use:

3timesperday, 1-2 tablets each time with a meal.

Ingredients:

Artichokeleafextract

Active Ingredients: caffeic acid derivatives including clorogenicacid and cynarin

■ Pharmaceuticalform:

350 mg tablets in 10-tablet blisters or plastic containers of 100 in cardboard box Patient information leaflet inside

Standardization:

Based on presence of at least 2.21 mg clorogenic acid in each mean tablet.









Annab Barij Syrup

Blood thinner and purifying Adjuvant treatment for fatty liver disease Blood Pressure lowering

Moro info





Annab Barij Syrup

Method of use:

Take 10 ml, three times a day

Ingredients:

Ziziphus Jujuba Fruit, Zataria multiflora aerial part

■ Pharmaceutical form:

120 ml syrup bottle with information leaflet and spoon in cardboard box









Hyporex-B F.C Tablet

Adjuvant treatment for hypertension





Hyporex-B F.C Tablet

Method of use:

3 times per day, take 1 tablet each time with sufficient liquids

■ Ingredients:

Dry extract of calyces of roselle flowers (Hibiscus sabdariffa)

Active Ingredients: flavonoids, hibiscus acid, various anthocyanins

■ Pharmaceutical form:

430 mg coated tablet in containers of 100 in cardboard box Patient information leaflet inside

■ Standardization:

Basedon presence of at least 5.56 mg anthocyanin in mean tablet.









Tonic and Appetizer Select the desired option

Appetizer - Syrup

Appetizer



Flaxseed Oil Soft Capsule

Adjuvant treatment for reduction of blood lipids



Aloevera - Syrup

Strengthen the immune system ...



Barii Aloe Vera Capsule

Strengthen the immune system











Tonic and Appetizer Select the desired option

Tarragon Oral Drop

Appetizer











Appetizer Syrup

Appetizer





Appetizer - Syrup

Method of use:

Three times per day, 10cc cup before meal.

Ingredients:

Punica granatum, Mentha spicata, Honey

■ Pharmaceutical form:

Syrup, 120 ml syrup bottle with information leaflet in cardboard box







Flaxseed Oil Soft Capsule

Aid in cardiovascular health and reduction of coronary heart disease risk

Adjuvant treatment for reduction of blood lipids Antioxidant

Moro info





Flaxseed Oil Soft Capsule

Method of use:

If the doctor has not given you a different order, Three times a day, take a soft capsule with food every time









Barij Aloe vera Syrup

Boosting the Immune System and increase in the body's resistance against viral infections, especially influenza and common cold

Moro info





Barij Aloe vera Syrup

Method of use:

5-10 ml daily before breakfast. Shake well before use.

■ Ingredients:

Aloevera and natural honey

Pharmaceutical form:

Syrup with measurer and information leaflet in cardboard box









Barij Aloe Vera Capsule

Strengthen the immune system Increase resistance to viral diseases (colds and influenza) Increase resistance to allergies

More info





Barij Aloe Vera Capsule

Method of use:

Take 1-2 capsules a day with some water









Tarragon Oral Drop

Appetizer
Alleviation of hiccups

More info





Tarragon Oral Drop

Methodofuse:

To stimulate appetite: 3 times a day, each time take 10-20 drops with some fluids before meal. To relieve hiccups: add 1-2 drops of the product on a sugar cube and eatit







Otolaryngology Select the desired option

Myrtex Topical Solution

Minor aphtha



Myrtex Oral Paste

Treatment of Recurrent Aphthous Stomatitis (RAS)



Denta Barij Oral Paste

Alleviating toothache



Matrica Mouthwash

Control of growth of dental bacterial plaque











Otolaryngology Select the desired option

Lamigex Otic Drop

Adjuvant treatment for Acute Otitis Externa (AOE)













Myrtex Topical Solution

Minor aphtha Herpes







Myrtex Topical Solution

Method of use:

5-6 times per day, dab 10 drops of Myrtex Topical Solution on a cotton ball and place on the aphtha for 20-30 seconds.

Ingredients:

Essential oil of common myrtle (Myrtus communis)

Active Ingredients: 1,8-cineole, alpha-pinene, limonene, linalool, myrtenyl acetate

Pharmaceuticalform:

18ml drop with dropper in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of 9-15 mg 1,8-cineole per ml of the product.









Myrtex Oral Paste

Treatment of Recurrent Aphthous Stomatitis (RAS)







Myrtex Oral Paste

■ Method of use:

Before using the product, pat dry the affected spot in the oral cavity with soft, sterile gauze. Apply a suitable amount of the product 3 times per day (after breakfast and lunch and before sleep) on the aphthous ulcer and gently pressure. Avoid eating and drinking in the one hour after using the product.

Ingredients:

Essential oil of common myrtle (Myrtus communis) **Active Ingredients:** 1,8-cineole

Pharmaceutical form:

5g aluminium barrier laminate tube in cardboard box Patient information leaflet inside

Standardization:

ased on presence of 8.55 mg 1,8-cineole per g of the product.









Denta Barij Oral Paste

Alleviating toothache
Adjuvant treatment for teeth and gum infections







Denta Barij Oral Paste

Methodofuse

Place about half a thimble (about 250 mg) of the product on the painful area or on the hole in the tooth. According to need, the product can be used 2.3 times per day. It is needless to say, for the definitive treatment of the condition, the dentist is tobe consulted at the first opportunity.

Ingredients:

Clove (Eugenia caryophzllata) essential oil, Toothbrush Tree (Salvadora persica) extract, and Propolis

Active Ingredients: Eugenol, quercetin, flavonoids

■ Pharmaceuticalform:

5 g aluminum tube in cardboard box Patient information leaflet inside

Standardization:

Based on presence of at least 5% total phenolic based on quercetin.









Matrica Mouthwash

control of growth of dental bacterial plaque inflammatory lesions of gums and oral cavity disinfection of gums and oral cavity antiviral

More info





Matrica Mouthwash

Method of use:

Dilute 50-60 drops of the mouthwash in half aglass of water and gargle at least 3 times per day for 30 seconds.

Ingredients:

Extract of German chamomile (Matricaria chamomilla) Active Ingredients: chamazolene, α-bisabolol

■ Pharmaceuticalform:

30ml drop with dropper in cardboard box Patientinformationleafletinside

Standardization:

Based on presence of at least 0.09-0.17 mg chamazolene per ml of the product.









Lamigex Otic Drop

Adjuvant treatment for Acute Otitis Externa (AOE)







Lamigex Otic Drop

Method of use:

Before using, clean the outer cavity of the ear carefully and dry, Take 3 drops every 12 hours. After using the drop, lie down for 5 minutes and the ear is upright. The minimum length of treatment is one week.

■ Ingredients:

Eugenia caryophyllata, Lavandula angustifolia, Pelargonium graveolens

Pharmaceutical form:

Drop, Container containing 5 ml with dropper and with information leaflet in cardboard box







Greenfit Barij

Effective in weight loss



Lime Oral Soft Capsule

Weight loss and weight maintenance



Cumin Oral Soft Capsule

Weight loss and weight maintenance



Limutorsh Barii Oral Soft Capsule

Weight loss and weight maintenance











Zireh Barij® Oral Soft Capsule

Reduction in Trialvoeride, Cholesterol and LDL



Lime Oral Drop

Weight loss and weight maintenance



Cumin Oral Drop

Weight loss and weight maintenance













Greenfit Barij

Effective in weight loss







Greenfit Barij

■ Method of use:

Take 1 to 2 capsules 2-3 times a day, half an hour before a meal with a glass of water.

Ingredients:

Bunium persicum, Trachyspermum copticum, Foeniculum vulgare, Origanum vulgare, Ruta graveolens, Armenian borax, Laccifer lacca

■ Pharmaceutical form:

Drop, Container containing 5 ml with dropper and with information leaflet in cardboard box







Lime Oral Soft Capsule

Weight loss and weight maintenance Reduction of appetite







Lime Oral Soft Capsule

Method of use:

Twice a day (atlunchanddinner), one softcapsule each time with some liquid before a meal.

■ Ingredients:

Essential oil of Citrusaurantifolia peel

Pharmaceutical form:

Capsule 650 mg, container 90, with printed instructions for use inside the box







Cumin Oral Soft Capsule

Weight loss and weight maintenance Reduction of appetite







Cumin Oral Soft Capsule

Method of use:

Twice a day (at lunch and dinner), 20 drops each time with some liquid after a meal.

Ingredients:

Essential oil of cumin

Pharmaceutical form:

Oral solution in glass container with information leaflet in cardboard box.







Limutorsh Barij Oral Soft Capsule

Weight loss and weight maintenance Reduction in triglyceride, cholesterol and LDL

More info





Limutorsh Barij Oral Soft Capsule

■ Method of use:

2 times per day (with lunchand dinner), take 1 soft capsule each time with some fluids before the meal.

■ Ingredients:

Essential oil of lime peel (Citrusaurantifolia)
Active Ingredients: limonene

■ Pharmaceutical form:

75 mg capsules in plastic container incardboard box Patient information leaflet inside

Standardization:

Based on presence of at least 37.5 mg limonene per soft capsule.







Zireh Barij Oral Soft Capsule

Weight reduction
Reduction in Triglyceride, Cholesterol and LDL

More info





Zireh Barij Oral Soft Capsule

Method of use:

Twice a day (at lunch and dinner), one soft capsule each time with some liquid after a meal.

Ingredients:

Essential oil of Cuminum cyminum

Pharmaceutical form:

Container with 60 soft capsules and patient information leaflet in cardboard box.







Lime Oral Drop

Weight loss and weight maintenance Reduction in appetite

More info





Lime Oral Drop

Method of use:

3 times per day, take 15 drops each time with some fluids after meal.

Ingredients:

Essential oil of limepeel (Citrusaurantifolia)

Active Ingredients: limonene, camphene, pinene, phellandrene

■ Pharmaceutical form:

15ml drop with dropper in cardboard boxPatient information leaflet inside

Standardization:

Based on presence of 14-19 mg limonene per ml of the product.









Cumin Oral Drop

Weight loss and weight maintenance Reduction of appetite

More info





Cumin Oral Drop

■ Method of use:

Twice a day (at lunch and dinner), 20 drops each time with some liquid after a meal.

■ Pharmaceutical form:

Oral solution in glass container with information leaflet in cardboard box.





Neurology and Psychiatry

Select the desired option

AlzStop Barij

Memory improvement



Deproherb Soft Capsule

Depression



Deproherb Oral Drop

Adjuvant treatment for depression



Orange Oral Drop

Adjuvant treatment for depression











Neurology and Psychiatry Select the desired option

Poppy Seed Oil

Topical: sedative, hot headache











AlzStop Barij

Memory improvement Prevention and treatment of Alzheimers







AlzStop Barij

Method of use:

Memory enhancer: 1 capsule daily Alzheimer: 1 capsule 2-3 times daily

■ Ingredients:

Boswellia sp, Acorus calamus, Cyperus rotundus, Pipernigrum, Zingiber officinale, Honey

■ Pharmaceutical form:

Capsule with information leaflet in cardboard box









Deproherb Soft Capsule

Depression





Deproherb Soft Capsule

Method of use:

Twice per day, 1 soft capsule each time after a meal with some fluids.

Ingredients:

Rosegeranium (Pelargonium roseum)

Active Ingredients: citronellol, geraniol, isomenthone

Pharmaceutical form:

50 mg soft capsules in plastic container in cardboardbox

Patient information leaflet inside

■ Standardization:

Based on presence of 15-22 mg citronellol per each soft capsule.









Deproherb Oral Drop

Adjuvant treatment for depression





Deproherb Oral Drop

Method of use:

2 times a day, each time take 20 drops after meal with some liquid.







Orange Oral Drop

Adjuvant treatment for depression





Orange Oral Drop

Method of use:

some liquid







Poppy Seed Oil

Topical: sedative, hot headache Ear drop: hot earache







Poppy Seed Oil

Method of use:

3times a day, ruboil on desired area





Strengthening Sexual Powers

Select the desired option

Highsense Barij Tablet

Treatment of erectile dysfunction



Libimax Barij Soft Capsule

Improving sexual function in patients taking ...



Rose Oral Drop

Depression









Highsense Barij Tablet

Treatment of erectile dysfunction





Highsense Barij Tablet

Method of use:

2 times a day, each time take one tablet after meals







Libimax Barij Soft Capsule

Improving sexual function in patients taking Serotonin Specific reuptake Inhibitors (SSRI) due to Major Depressive Disorder

Moro info





Libimax Barij Soft Capsule

Method of use:

Twice per day, 1 soft capsule each time with some fluids.

■ Ingredients:

Rose (Rosa damascene), Rose geranium (Pelargoniumroseum)

Active Ingredients: citronellol

Pharmaceutical form:

15 mg soft capsules in plastic container in cardboard box

Patient information leaflet inside

■ Standardization:

Based on presence of 5.7 mg citronellol per each softcapsule.









Rose Oral Drop

Depression Increasing Libido (sexual desire)







Rose Oral Drop

■ Method of use:

2 times a day,each time take 15 drops with some fluids





Select the desired option

Hand Disinfectant

Prevention and elimination of viral, fungal ...



Argan Oil

Anti-aging and Moisturizing of Skin



Calendula

Prevention and relieves diaper rash discomfort ...



Barij Essence Sunscreen Cream

Protects skin against UVA and UVB











Select the desired option

Hair & Eyebrow Tonic Spray

Hair and eyebrow tonic



Rosemary Hair and Eyebrow Tonic Solution

Prevention of hair loss, hair tonic



Barij Essence Heelfix Cream

Emollient and effective in healing of cracked heels



After-bite Barij Topical Cream

Prevention of secondary infection of the bite area











Select the desired option

Linoderm Topical Cream

Restoration of skin's moisture and smoothness.



Barii Essence After-Sun Lotion

Taking care of the skin, especially retention of ...



Lagex Burn Cream

Adjuvant treatment for healing and disinfection ...



Mycoderm Spray

Adjuvant treatment for superficial fungal ...





















Select the desired option

Barije Anti-Acne Topical Lotion

Acne



Barii Rose Oil

Rejuvenating and Moisturizing of Skin



Acneherb Topical Gel

Acne



Pakkonande

Maintaining skin health and preventing ...

















Select the desired option

Dermatin Topical Cream

Adjuvant treatment for various types ...



Barij Essence Moisturizing Cream

Care for face and hand skin, especially retention ...



Lavand Anti-spot Lotion

Freckle.Melasma



Galix Topical Lotion

Acne



















Select the desired option

Henna Topical Lotion

Anti-dandruff, hair tonic



Barij Aftershave Lotion

Refreshing and cooling skin



Barij Taragacanth Hair Gel Hair tonic and styling

idii toriic di la stytii

Barij Rosemary Hair Gel Hair tonic

Hair tonic

















Select the desired option

Barii Aloe Vera Hair Gel

Hair tonic and styling



Barij Deodorant and Antiperspirant Spray

Reduced sweating



Sweet Almond Oil

nsomnia, muscle spasm, eczema, ...



Bitter Almond Oil

Skin spot, acne, wrinkles and furrows, ...

















Skin and Hair Select the desired option

Flayseed Oil

Itchina, eczema



Sesame Oil

Moisturizer and emollient of skin, alleviation ...



Hazelnut Oil

Strengthen eyelashes















Hand Disinfectant

Prevention and elimination of viral, fungal, bacterial and parasitic contamination of the skin







Hand Disinfectant

Method of use:

For sanitary disinfection, place the appropriate amount of gel in your palm. Thoroughly spread on both hands and rub together until dry. Recommended for repeated use.

■ Ingredients:

Ethyl Alcohol 70%, essential oils of Pelargonium graveolens, Eucalyptus globulus and Citrus aurantifolia

■ Pharmaceutical form:

50 gram Tube

Standardization:

Based on at least 0.03 % citronellol and 0.035 % 1,8-cine ole









Argan Oil

Anti-aging and Moisturizing of Skin Restore , Strengthens & Hair conditioner Nail Strengthens





Argan Oil

- Ingredients:
 Arganoil, vitamin A, and vitamin E
- Pharmaceutical form: 30ml ofoil







Calendula Barij

Prevention and healing of burn urine Maintains the softness and suppleness of the skin and is effective on dryness Prevention and treatment of sunburn or burns with hot objects





Calendula Barij

Ingredients:

Calendula officinalis, Aloe vera, Sweet Almond Oil, Hyaluronicacid, Vitamin B5, Vitamin E

■ Pharmaceuticalform:

Topical cream, Tube 15g, with information leaflet inside







Sunscreen Cream

Protects skin against UVA and UVB Prevent Skin premature aging Skin Moisturizing Resistant to sweating Free of parabens PABA





Barij Essence Sunscreen Cream

Method of use:

Before sun exposure, apply sufficient amounts of product to all parts of the body, especially the face, the exposed area of the ears, the neck and back of the hands, to fully absorb into the skin and repeat the procedure several times during the day (for example, each 2 hours or in case of sweating and swimming







Hair & Eyebrow Tonic Spray

Hair and eyebrow tonic







Hair & Eyebrow Tonic Spray

Method of use:

For the hair, twice a day (morning and night), each time spray 7 puffs of the product on the intended region, and massage mildly with fingertips for 2 minutes.

For the eyebrows, twice a day, each time spray one puff of the product on a cotton ball or pad, apply to the eyebrows and massage briefly.

Ingredients:

osemary essential oil (Rosmarinus officinalis), hazelnutoil, vitamin E

Active Ingredients: 1,8-cineol (eucalyptol), alphapinene

■ Pharmaceutical form:

40ml spray with long nozzle in cardboard box Patient information leaflet inside









Rosemary Hair and Eyebrow Tonic Solution

Prevention of hair loss, hair tonic Prevention of eyebrow loss, tonic Anti-dandruff





Rosemary Hair and Eyebrow Tonic Solution

Method of use:

As hair tonic and for hair loss prevention: With your fingertips, massage 10 to 15 drops (men) or 15 to 20 drops (women) of rosemary essential oil on the desired area of the scalp, for 2 minutes at least. Do this twice a day, in the morning and at night. As tonic for eyebrows and for prevention of their loss: Massage 1 to 2 drops on each eyebrow for at least 2 minutes, twice a day, in the morning and at night.

■ Ingredients:

Essential oil of rosemary (Rosmarinus officinalis)

■ Pharmaceutical form:

30 ml drop with dropper in card board box Patient information leaflet inside

Standardization:

Based on presence of at least 6.3 mg 1,8-cineol in eachml of product.











Barij Essence Heelfix Cream

Emollient and effective in healing of cracked heels Prevention and healing of dryness and inflammation of skin cracks

Retention of softness and delicacy of skin Quick absorption, efficient hydration Contains keratolytic ingredients for removal

More info

of dead skin cells





Barij Essence Heelfix Cream

Method ofuse:

Place every heel inside water for about 10-20 minutes in order to absorb necessary moisture, then rub appropriate amount of product on skin cracks. Coverage of area with proper dressing is recommended. It is better to do the treatment everynight.







After-bite Barij Topical Cream

Alleviation of itching, burning, redness and inflammation of the skin after insect biteAnti-inflammatory

Prevention of secondary infection of the bite area





After-bite Barij Topical Cream

Method of use:

Massage gently amount of cream on the area. Continue application of the medication until complete elimination of symptoms. In the case of bee stings, remove the bite first, then apply the cream. Avoid covering the area.

Ingredients:

Aloevera, Calendula officinalis, and propolis

■ Pharmaceutical form:

Topical cream, 15 g tube with information leaflet in cardboard box







Linoderm Topical Cream

Symptomatic treatment of acute and chronic conditions of dry skin, like eczema

Restoration of skin's moisture and smoothness





Linoderm Topical Cream

Method of use:

Apply 2 to 3 times a day or according to the doctor. The product can be used in the recommended dose for all ages, including children, adults and the elderly.

Ingredients:

Oenothera biennis seed oil

■ Pharmaceutical form:

lopical Cream, 50 g tube bottle with information eaflet in cardboard box







Barij Essence After-Sun Lotion

Taking care of the skin, especially retention of its smoothness, moisture, tenderness, vitality and youth against the sun and undesirable climatic factors. Alleviation of pain, burning sensation, inflammation and liching of the skin after sun exposure. Acceleration of healing and recovery of

chronic skin wounds and wounds caused

by surgery and frostbite.





Barij Essence After-Sun Lotion

Method of use:

Apply a thin layer of the cream to the intended area and reapply if necessary.

■ Ingredients:

 $A loe\, vera, Avocadooil, Vitamin\, C, Vitamin\, E$







Lagex Burn Cream

Adjuvant treatment for healing and disinfection of first- and second-degree burns.





Lagex Burn Cream

Method of use:

5g for each 10cm² of burn area, daily

Ingredients:

Aloe vera, Pelargonium graveolens, Lavandula angustifolia

■ Pharmaceutical form:

Topical cream, tube with information leaflet inside







Mycoderm

Superficial skin fungal infections, tinea versicolorNo Text





Mycoderm

■ Method of use:

Regarding the affected area, 2 times a day, spray maximum 4 puffs of the product on the area. The course of treatment is according to the doctor's opinionfor 2-4weeks.







Barije Anti-Acne Topical Lotion

Acne





Barije Anti-Acne Topical Lotion

Method of use:

Depending on the affected area, apply twice a day, 2-5 drops of the lotion each time.

■ Ingredients:

Essential oils of ferula (Ferula gummosa) and lavender (Lavandulastoechas) Active Ingredients: galbanic acid, geraniol, limonene, linalylacetate

■ Pharmaceutical form:

15 ml drop with dropper in cardboard box Patient information leaflet inside

Standardization:

Based on presence of at least 8.5 mg 1,8-cineole perml of the product.









Barij Rose Oil

Anti Acne

Rejuvenating and Moisturizing of Skin







Barij Rose Oil

■ Ingredients:

Rosa damascena oil, Vit E, Vit A







Acneherb Topical Gel

Acne







Acneherb Topical Gel

Method of use:

Apply a thin layer of the gel to the affected area every night. The duration of treatment needs to be recommended by a physician, but usually the courseof treatment is one month.

■ Ingredients:

Essential oils of lavender (Lavandula stoechas) and rose geranium (Pelargonium roseum) Active Ingredients: geraniol, linalyl and geranyl esters, terpineol, linalool

Pharmaceutical form:

30g tube in cardboard box Patient information leaflet inside

Standardization:

Based on presence of 0.56% eucalyptol and 1.02% β -citronellol in the product.







Pakkonande

Maintaining skin health and preventing early skin aging







Pakkonande

Method of use:

To remove the makeup, apply a piece of cotton or cotton pad to the solution and drag on the face, around your eyes and neck. If your makeup is cleaned with this method, apply a few solutions in several places of your face, then spread it with a wet cotton cloth all the way, with this method even the penetrated makeup to skin pores comes out.







Dermatin Topical Cream

Adjuvant treatment for various types of dermatitis (eczema), including atopic dermatitis and irritant contact dermatitis





Dermatin Topical Cream

■ Method of use:

Twice a day, each time a sufficient amount of cream is applied to the area. Duration of treatment is 2weeks.

Ingredients:

Ziziphus spina-Christi Extrac

Pharmaceutical form:

Topical cream, tube with information leaflet inside







Barij Essence Moisturizing Cream

Care for face and hand skin, especially retention of their smoothness, moisture, delicacy, vitality and youth.

Suitable cream as foundation for make-up. Alleviation of dermal irritations.





Barij Essence Moisturizing Cream

Method of use:

Apply an appropriate amount of the cream to the face and hands skin. The use of Barij Essence Moisturizing Cream is recommended for all skin types, especially dry and sensitive skins. It can be applied as often as desired.







Lavand -Anti-spot Lotion

Freckle Melasma Solar freckle Age spots





Lavand - Antispot - Drop

Method of use:

Depending on the affected area, apply twice a day, 2-5 drops each time.

■ Ingredients:

Essential oils of lavender (Lavandula stoechas) and rosegeranium (Pelargonium roseum) Active Ingredients: geraniol, linalil and geranyl esters, terpineol, linalool

■ Pharmaceutical form:

15ml drop and dropper in cardboard boxPatient information leafletInside

■ Standardization:

Based on presence of at least 8.4 mg 1,8 cineole and at least 2 mg geraniol per milliliter of the product











Galix Topical Lotion

Acne





Galix Topical Lotion

■ Method of use:

Regarding the size of area, twice aday, 2-5 drops of lotion on the area should be rubbed







Henna Topical Lotion

Anti-dandruff, hair tonic Local antiperspirant Antifungal and antibacterial





Henna Topical Lotion

■ Method of use:

To treat dandruff , strengthen hair and prevent itching after bathing: Add 3-5 ml of the lotion to 100-200 ml of shampoo and use it at each bathing time







Barij Aftershave Lotion

Refreshing and cooling skin Disinfectant







Barij Aftershave Lotion

Method of use:

After shaving, apply sufficient amount of lotion on the area







Barij Taragacanth Hair Gel

Hair tonic and styling





Barij Taragacanth Hair Gel

Method of use:

Wet your hair and impregnate with a sufficient amount of gel, then style your hair with your desired patterns







Barij Rosemary Hair Gel

Hair tonic

Prevention of hair loss







Barij Rosemary Hair Gel

■ Method of use:

Wet your hair and impregnate with a sufficient amount of gel, then style your hair with your desired patterns







Barij Aloe Vera Hair Gel

Hair tonic and styling
Prevention of hair loss





Barij Aloe Vera Hair Gel

■ Method of use:

Wet your hair and impregnate with a sufficient amount of gel, then style your hair with your desired patterns







Barij Deodorant and Antiperspirant Spray

Reduced sweating
Eliminates the unpleasant odor of the body





Barij Deodorant and Antiperspirant Spray

Method of use:

From distance of 20 centimeters, spray the product to areas such as the armpit, groin, handsandfeet







Sweet Almond Oil

Insomnia, muscle spasm, eczema, pruritus, skin cracks





Sweet Almond Oil

Method of use:

For spasm, muscle spasm, eczema, pruritus, and skincrack: apply 2 to 3 times a day and massage.

As a hypnotic agent: drip two drops inside nose and ear and apply on forehead, 2 to 3 times a day.

■ Ingredients:

Sweet almond (Prunusdulcis) oil Active Ingredients: oleic acid, linoleic acid, palmitic acid, stearicacid

Pharmaceutical form:

30 ml container in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of 60-75% oleic acid and 20-30% linoleic acid in the product.









Bitter Almond Oil

Skin spot, acne, wrinkles and furrows, tinnitus and earache







Bitter Almond Oil

Ingredients:

Amygdalus communis oil

Standardization:

Based on 62-86% oleicacid in product







Flaxseed Oil

Itching, eczema





Flaxseed Oil

- Method of use:
 - 2-3 times a day, rub in the desired place







Sesame Oil

Moisturizer and emollient of skin, alleviation of inflammation caused by burns







Sesame - Oil

■ Method of use:

Apply topically 2-3 times a day.

Ingredients:

Sesame seed (Sesamum indicum L.) oil Active Ingredients: linoleic acid, oleic acid, sesamin and sesamolin

■ Pharmaceutical form:

30 ml container Patient information leaflet inside

Standardization:

Based on presence of 39-59% linoleic acid in the product.







Hazelnut - Oil

Eyebrow tonic and thickening





Hazelnut - Oil

■ Method of use:

2-3 times a day, apply on eyebrows





Laxaplus Barij

Constipation Relief in Kids



Coghstop Barii

Expectorant



Dentikid Barij Topical Gel

Alleviation of pain and inflammation ...



Barij Appetizer Syrup

Loss of appetite, nausea and vomiting, ...











Barij Baby Cream

Prevention and treatment of napkin dermatitis



Baby Colic

Helps relieve symptoms of infant colic, ...













Laxaplus Barij

Constipation Relief in Kids







Laxaplus Barij

Method of use:

Children over 2 years of age: 2.5 - 5 ml three times aday

Adults:5-10 ml three times a day

■ Ingredients:

Ziziphus jujube, Viola odorata, Cordia myxa, Echium amoenum, Rosa damascene, Cydonia oblonga, Plantagoovata

Pharmaceutical form:

1Syrup, 120 ml syrup bottle with spoon and information leafletin cardboard box







Coughstop Barij

Expectorant Antitussive







Coughstop Barij

Method of use:

If not told by your doctor, use as follows: Children from 1-5 years of age: 3.2 milliliters 3 times aday

Children from 6 to 11 years of age: 4.3 milliliters 3 times daily

Patients over 12 years of age and adults: 5.4 milliliters 3times a day

■ Ingredients:

Thymusvulgaris and Hedera helix

Pharmaceutical form:

Syrup, 60 ml bottle, with a spoon and an insert in a folding carton







Dentikid Barij Topical Gel

Alleviation of pain and inflammation of the gums during teething







Dentikid Barij Topical Gel

Method of use:

During the teething period, 3-4 times per day, apply a small amount of the gel on your finger and massage unto the irritated gums of the kid.

Ingredients:

Chamomile (Matricaria chamomilla), Salvia (Salvia officinalis), Provitamin B5 Active Ingredients: rosmarinic acid

Pharmaceutical form:

5g aluminum tube in cardboard box Patient information leaflet inside

■ Standardization:

Based on presence of at least 0.1 mg rosmarinic acid per gram of the product.









Barij Appetizer Syrup

Loss of appetite, nausea and vomiting, choleric diarrhea, cleansing of blood





Barij Appetizer Syrup

Method of use:

Children from 2 to 3 years old: 1 to 2 times daily, 2.5 ml before meals

Children 3 to 6 years old: 2 to 3 times daily, 2.5 ml before meals

Children from 6 to 10 years old: 2 to 3 times daily, 5 ml before meals

Children and people over 10 years old: 2 to 3 times daily, 5 to 10 ml before meals

■ Ingredients:

Pomegranate (Punica granatum), Spearmint (Mentha Spicata) and honey

Pharmaceuticalform:

Syrup, 120 ml bottle, with a spoon and an insert in a folding carton









Barij Baby Cream

Prevention and treatment of napkin dermatitis Softness and elegance of the skin







Barij Baby Cream

Method of use:

Apply a thin layer on the intended area and repeat if needed. To prevent diaper rashes constantly check the baby's diaper so that you can change it as soon as it becomes wet or dirty. Gently rinse the baby's skin with bukewarm water and palt dry with a soft, cotton cloth, Apply a thin layer of Diaper Rash Cream to the skin to form a protecting barrier against the moisture and irritations caused by urine and stoot. This procedure is of more importance during the night, when your baby's skin would be in contact with the diaper longer. To treat diaper rash, as soon as seeing the initial signs of redness, instantly set out to treat it cently wipe the skin clean, allow it to dry, and then apply athin layer of Barri Baby Cream to the skin. Repeat this procedure every time you change the diaper. Constantly check the diaper, especially after feeding the baby, and once needed, change it at the earliest possible chance.

Ingredients:

Pot marigold (Calendula officinalis), German chamomile (Matricaria chamomila), Lavender (Lavandula angustifolia), Aloe (Aloevera)

Pharmaceutical form:

50 g tube in cardboard box Patient information leaflet inside











Baby Colic

Helps relieve symptoms of infant colic, gas accumulation in the stomach and hiccups







Baby Colic

■ Method of use:

Infants 2 to 4 weeks of age: 2.5 ml Infants 1 to 6 months of age: 5 ml

Children 6 months and older: 7.5 ml

The product may be prescribed up to 6 times a day or as directed by your doctor.

Ingredients:

Matricaria chamomilla, Foeniculum vulgare, Melissa officinalis and Zingiber officinale

■ Pharmaceutical form:

Syrup with measurer and information leaflet in cardboard box





Factory Address:

Mashhad Ardehal-Kashan-Iran

phone: (086) 4002

TehranOffice

No78-Marzdaran Blyd-Tehran-Iran

Phone: (021) 44267992

Customer voice Phone: (021)49921

View the Website















First Page

About Barijessence Pharmaceutical Co

Product Index

Wiki **Barij**

Contact Us

SMAR

Design and implementation by